

RED PRO X Compact+

Rescue and evacuation device, bag

- Evacuation harnesses included
- Additional inner mesh bag for rope retaining connected to the device
- Portable with 15 years service interval



EN 341 : 2011

EN 1496 : 2017

EN 1498 : 2006

Product description

RESQ RPX is the latest generation of rescue and evacuation equipment from RESQ – designed and developed for easy use with intuitive functions. The RPX can handle most rescue scenarios in various industries and extreme environments, from evacuation from high heights, lifting from deep shafts to advanced rescues, the height worker can feel confident that the equipment performance is verified. The design and functionality of the device are based on insights from professionals working at heights daily. RPX is designed to give height workers verified confidence in extreme environments and for easy implementation of user-training and inspections. Single-sided use for safe handling -all features on frontside -no more losing valuable time, twisting and turning the device to double-check. Universal power tool-interface for heavy lifting, up to 255m. Top-mounted swivel for optimal positioning, even in tight conditions and confined space. Laser printed, easy to read data and pictograms, engraved direct and permanently on the body. 280 kg – 255m verified and tested decent weight and height! The device comes with a lifting function where the connection of machine-driven accessories simplifies and facilitates lifting at longer distances as standard. With the help of a power tool, the equipment can lift a load of 140 kg at a distance of 255 meters. RPX requires a minimum of training which equals Low TCO for maintenance of training certificates for your workforce. Due to the easily recognizable and intuitive design on both rescue equipment and accessories, the kit is both practical and cost-efficient to introduce to already trained workforce which holds GWO or similar height training certificate. RPX Compact+ is delivered as a complete set in RESQ Vacuum+ (service interval of 15 years), 2 pcs evacuation harnesses, accessory kit, which includes: 2 carabiners in steel, twist-lock, 1 edge-protector, 1 pulley, 1 rope-grab for rescue and 2 pcs. sling, 120cm long. All packed in reinforced RESQ bag. Yearly inspection labels included in the bag.

Product properties

Brand	RESQ
Adjustable under load	Yes
Attaching connector 1	Device: Steel carabiner with swivel
Attaching connector 2	Rope: Steel carabiner
Minimum breaking strength -MBS (kN)	20
Descent speed (m/s)	0,9-1,6

Energy absorber	No
Extra functions	Lift with external power source & Mesh bag for rope connected directly in RPX device carabiner
Fall indicator	No
Functions	Descend function, Lifting function
Gate opening (mm)	18
Gate strength (kN)	16
Gate feature	Twist lock
Lifting mechanics	Gear, ratio 1:9
Material	Aluminum , Polyamide, Techno polymers
Maximum descent	255m
Maximum load (kg)	200
Min/Max load (kg)	40/280
Min/Max working temperature (c)	-40/+60 °C
Maximum number of users	2
Maximum rope length (m)	255
Mechanics	Centrifugal brake
Minimum load (kg)	40
Min/Max storage temperature (c)	-40/+60 °C
Packaging type	Vacuum+
Rope	Polyamide/polyamide 32-braided kernmantle construction 9,6mm
PPE-category	Category 3
Declaration of Conformity	Yes
EN-standard	EN 341 : 2011, EN 1496 : 2017, EN 1498 : 2006
Warranty	2 year
Identification	Serial number
Annual inspection	Yes, every 12 months
Life span	15 + 15 years. Product lifecycle 15 years + 15 after service
Notified body	0200, FORCE Certification A/S, Main office, Park Allé 345, DK-2605 Brøndby, Denmark

RFID

Yes

Article information

Article number	Article name	Colors	W(cm)	H(cm)	L(cm)	Net weight (kg)
087007511150	RESQ RPX200, Compact+, 150m	Red				19.96
087007511185	RESQ RPX200, Compact+, 185m	Red				22.1
087007511100	RESQ RPX200, Compact+, 100m	Red				16.91
087007511175	RESQ RPX200, Compact+, 175m	Red	30	55	26	21.28
087007511125	RESQ RPX200, Compact+, 125m	Red	30	55	26	18.23
087007511200	RESQ RPX200, Compact+, 200m	Red	35	75	30	24.97
087007511225	RESQ RPX200, Compact+, 225m	Red	35	75	30	26.5
087007511250	RESQ RPX200, Compact+, 250m	Red	35	75	30	28.03
087007511050	RESQ RPX200, Compact+, 50m	Red				14.44

Article number	Article name	GTIN	Tariff number	UNSPSC Code	Country of origin
087007511150	RESQ RPX200, Compact+, 150m	7350015790407	84253900	46182312	Slovakia
087007511185	RESQ RPX200, Compact+, 185m	7350015790483	84253900		Slovakia
087007511100	RESQ RPX200, Compact+, 100m	7350015793002	84253900	46182312	Slovakia
087007511175	RESQ RPX200, Compact+, 175m	7350015793644	84253900	46182312	Slovakia
087007511125	RESQ RPX200, Compact+, 125m	7350015793637	84253900	46182312	Slovakia
087007511200	RESQ RPX200, Compact+, 200m	7350015793743	84253900	46182312	Slovakia
087007511225	RESQ RPX200, Compact+, 225m	7350015793750	84253900	46182312	Slovakia
087007511250	RESQ RPX200, Compact+, 250m	7350015793767	84253900	46182312	Slovakia
087007511050	RESQ RPX200, Compact+, 50m	7350015793958	84253900	46182312	Slovakia

Article number	Article name	Packaging type	Gross weight (kg)
087007511150	RESQ RPX200, Compact+, 150m	Bag	
087007511185	RESQ RPX200, Compact+, 185m	Bag	
087007511100	RESQ RPX200, Compact+, 100m	Bag	16.91
087007511175	RESQ RPX200, Compact+, 175m	Bag	
087007511125	RESQ RPX200, Compact+, 125m	Bag	
087007511200	RESQ RPX200, Compact+, 200m	Bag	
087007511225	RESQ RPX200, Compact+, 225m	Bag	
087007511250	RESQ RPX200, Compact+, 250m	Bag	
087007511050	RESQ RPX200, Compact+, 50m	Bag	14.44